

**A-LINE SKIRT (WAIST 54CM- 3-4 YEAR S OLD)  
MACHINE KNITTING PATTERN (LK150/K360)  
BY**

**ANINO OGUNJOBI**



## Garment type :Skirt

To fit Waist : 54.0 cm + ease 5.0 cm  
To fit Hip depth : 13.0 cm + ease 0.0 cm  
To fit Hip : 60.0 cm + ease 5.0 cm

Main Tensions 23.53 Stitches & 31.58 Rows per 10 cm. ( 17cm per 40 sts and 19cm per 60 rows)

Welt, Cuff, and Neckband Tensions 23.53 Stitches & 31.58 Rows per 10 cm

Tension dial setting or needle sizes

Stitch 3 LK150

Notes about this shape file

plain welt, multi skirt

Abbreviation: K:-Knit. RN: right needle, LN: left needle, RC: row counter, STS: stitches

Watch the video on youtube: Anino tv  
Visit: [aninoogunjobi.com](http://aninoogunjobi.com)

## MATERIALS NEEDED

Knitting machine Lk150 or K360

1x100gm dk knitting yarn : Multi (Robin paintbox- peach ripple) by Thomas B. Ramsden

1x 100gm dk knitting yarn : Rosebud (Robin) by Thomas B. Ramsden

Sewing machine

Elastic

Safety pin

Coordinating sewing thread ( to match yarn and elastic)

Tension dial 3 on LK150 or K360 knitting machine

## GARMENT: SKIRT (88 stitches x 114 rows)

PANEL 1 (Make 2: that one for front and one for back of skirt)

## INSTRUCTIONS

**WELT:** Push LN44..RN44. To working position and with the 1 by 1 needle pusher, push all alternate needles to non-working position. Using the waste yarn cast over needles in working position and knit 10 rows. With the ravel chord, knit 1 row. Using a lower tension “2” and main yarn (multi), knit 20 rows (for rib).

Pick up loops for 1 by 1 rib.

Set RC to 000 and tension dial to main tension “3”

Needles on bed is 88

R1:K88.

Rows 2-19: As row 1.

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R20: K86.

Rows 21-26: As row 20 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R27: K84.

Rows 28-33: As row 27 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R34: K82.

Rows 35-40: As row 34 (without the shaping).

When knitting the next row: Dec 1 sts at left.

R41: K81.

When knitting the next row: Dec 1 sts at right.

R42: K80.

Rows 43-47: As row 42 (without the shaping).

When knitting the next row: Dec 1 sts at left.

R48: K79.

When knitting the next row: Dec 1 sts at right.

R49: K78.

Rows 50-55: As row 49 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R56: K76.

Rows 57-69: As row 56 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R70: K74.

Rows 71-82: As row 70 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R83: K72.

Rows 84-95: As row 83 (without the shaping).

When knitting the next row: Dec 1 sts at left, Dec 1 sts at right.

R96: K70.

Rows 97-114: As row 96 (without the shaping).

Cast off remainder. End of piece.

(REPEAT FOR BACK OF SKIRT)

## FINISHING

Sew side of skirt together. Fold skirt band and hold in place with pins. Sew the band but leave opening for inserting the elastic.

After inserting the elastic into the band, sew the edges of the elastic together with a satin- zigzag stitch (to secure the edges) on the sewing machine. Darn loose yarn.



